

EMV® 3D Secure in First Data Gateway – Connect

July 2019

EMV 3D Secure in First Data Gateway - Connect

Introduction

The eCommerce environment has evolved significantly over the last decade, prompting a refocus to reduce friction in the 3DS transaction experience.

EMVCo in cooperation with major international schemes defined new EMV 3DS/2.0 specification for the benefit of the entire industry to collaboratively develop the next generation of 3D Secure protocol. The new version promotes frictionless consumer authentication and enables consumers to authenticate themselves with their card issuer when making Card-Not-Present (CNP) eCommerce purchases.

EMV 3D Secure protocol supports app-based authentication and integration with digital wallets, as well as traditional browser-based eCommerce transactions and delivers industry-leading security features.

The purpose of this document is to provide you a consolidated overview of the implementation in our Gateway.

Please note, the document is still open for amendments.

The yellow highlighted text shows what is new compared to how it currently works or represents the elements of high importance.

Authentication with First Data Gateway as 3DS Service provider via Connect

The Connect solution includes the ability to authenticate transactions using Verified by Visa and Mastercard Identity Check programs. If your credit card agreement includes 3D Secure and your Merchant ID has been activated to use this service, you do not need to modify your payment page.

The following represents an example of a "Sale" transaction request with minimum set of fields, including the optional "Challenge Indicator" element, which can be used to request an exemption:

```
<!-- #include file="ipg-util.asp"-->
 ⟨html⟩
 \langle head \rangle \langle title \rangle IPG Connect Sample for ASP \langle /title \rangle \langle /head \rangle
 (body)
 \langle p \rangle \langle h1 \rangle Order Form \langle /h1 \rangle \langle /p \rangle
 \( \form \text{method="post" action=" https://test.ipg-online.com/connect/gateway/processing " \) 
       ⟨input type="hidden" name="txntype" value="sale"⟩
       (input type="hidden" name="timezone" value="Europe/Berlin"/)
       (input type="hidden" name="txndatetime" value="\( \% \) getDateTime() \%\\)"/\\
       (input type="hidden" name="hash_algorithm" value="SHA256"/)
       (input type="hidden" name="hash" value="(% call createHash( "13.00","978" ) %)"/
       (input type="hidden" name="storename" value="110995000" /)
       (input type="hidden" name="mode" value="payonly"/)
       (input type="hidden" name="paymentMethod" value="V"/)
       ⟨input type="text" name="chargetotal" value="13.00" /⟩
       (input type="hidden" name="currency" value="978"/)
       (input type="hidden" name="authenticateTransaction" value="true"/>
       (input type="text" name="threeDSRequestorChallengeIndicator" value="1"/)
       (input type="submit" value="Submit")
</form>
⟨/body⟩
</html>
```

Challenge indicator available values for 3DS protocol version 2.1 are:

1 = No Preference (You have no preference whether a challenge should be performed. This is the default value.)

2 = No Challenge Requested (You prefer that no challenge should be performed)

3 = Challenge Requested: 3DS Requestor Preference (You prefer that a challenge should be performed)

4 = Challenge Requested: Mandate (There are local or regional mandates that mean that a challenge must be performed)

In case you have not used billing and shipping details in your authentication request before, please consider to include the listed optional parameters to lower the 3D Secure authentication declines.

Field name	Possible values	Description
bname	Alphanumeric characters, spaces, and dashes	Customers Name
bcity	Limit of 96 characters, including spaces	Billing City
bcountry	Two-letter country code	Country of Billing Address
baddr1	Limit of 96 characters, including spaces	Customer Billing Address 1
baddr2	Limit of 96 characters, including spaces	Customer Billing Address 2
bzip	Limit of 24 characters, including spaces	Zip or Postal Code
bstate	Limit of 96 characters, including spaces	State, Province, or Territory
email	Limit of 254 characters	Customers Email Address
phone	Limit of 32 characters	Customers Phone Number
cellphone	Limit of 32 characters	Customers Phone Number
scity	Limit of 96 characters, including spaces	Shipping City
scountry	Two-letter country code	Country of Shipping Address
saddr1	Limit of 96 characters, including spaces	Shipping Address Line 1
saddr2	Limit of 96 characters, including spaces	Shipping Address Line 2
szip	Limit of 24 characters, including spaces	Zip or Postal Code
sstate	Limit of 96 characters, including spaces	State, Province, or Territory

The result of the transaction will be sent back to the defined "responseSuccessURL" or "responseFailURL" as hidden fields:

{txndate_processed=12/04/10 13:37:33,

ccbin=542606,

timezone=CET,

oid=C-2101f68a-45e9-4f3c-a6da-1337d5574717,

cccountry=N/A,

expmonth=12,

currency=978,

chargetotal=13.99,

approval_code=Y:ECI2/5:Authenticated,

hiddenSharedsecret=sharedsecret,

hiddenTxndatetime=2019:04:10-13:37:08,

expyear=2024,

response_hash=927d3c3108d596c593f74fd79184ece7c33103fe,

response_code_3dsecure=1,

hiddenStorename=110995000,

 $transaction Notification URL = https://test.ipg-online.com/webshop/transaction Notification, \ tdate = 1554903428,$

ignore_refreshTime=on,

ccbrand=VISA,

txntype=sale,

paymentMethod=V,

txndatetime=2019:04:10-13:37:08,

cardnumber=(VISA) ... 4979,

ipgTransactionId=84120276797,

status=APPROVED}

